





Tech Starsatcov

ah Starsato

Toch Starsatcom e atsatcoma ursatcom

Tech Starsatcom Starsati Starsatcom

Tech Starsatcom



TS -1800CKTRAILER FEATURES

- One Person Setup Requires little or no training to use.
- > AC Power Conditioner (1RU) for 220 VAC, 50 Hz outlets.
- A portable rack-mount case (6RU) for all electronics that may be easily moved.
- 50' (14 meters) cable run so electronics case may be moved into a structure or tent.
- > Four easy crank stabilization jacks Good for high winds and uneven terrain.
- Security belt for crowd control.
- Spare tire
- Optional- Provision for Kubota / Honda generator.
- Optional trailer dolly
- Air –Con 10KBTU
- > Works in extreme environments (rain, hot, cold)
- Rated to withstand wind speeds up to 70 MPH when using leveling jacks.

TS-1800CK Communications Trailer General Specifications

Trailer Dimensions 192"L x 76"W x 76"H (Stowed Dish - Exterior Dimensions)

Rear Storage Space 144"L x 76"H x 72"W (Interior Dimensions)

Weight (loaded) Under 1400 lbs (includes spare tire)

Electronic Components Provision Antenna Controller 1 RU

Satellite Modem 1.5 RU

Power Conditioner 1 RU (with 8 AC plugs)

2.5 RU available for customer use (front) 6 RU available on back.

50' Quick-disconnect cable run





The large rear bay of the TS-1800CK is fully enclosed and includes a spare tire and securing straps.



Provision of 1.8 m / 1.2 m C / Ku Band Antenna System.



Provision of Kubota/Honda Generator.



Optional Trailer Dolly

